

***Surviving at Fire and Post-Fire Debris/Mudflow Prone Zones in Colorado Front Range in Light of Feng-shui***

Ping Xu, University of Colorado Boulder, United States

The IAFOR International Conference on Sustainability, Energy & the Environment – Hawaii 2018  
Official Conference Proceedings

**Abstract**

Extreme climate patterns in recent decades have led to frequent fire events, rainstorms and debris/mudflows in Colorado Front Range, USA. The attractive landforms of Rocky Mountains coincide with these natural hazards. Once people settle in hazard prone zones, they are in danger. In many cases, the disastrous tragedies stem from design errors. These mistakes in practice reflect a weakness in education. Natural hazards are rarely emphasized in architectural education. Particularly, the topic of post-fire debris/mudflow is missing from the education of the site selection process. This research presents case studies of the high impact areas of the 2013 Colorado historic flood. The field investigations took place one year after the flood, and then again four years later. Following a fire event, debris/mudflows often occur in certain locations during intense and heavy rainfall. The mudflow and debris can run into a river or a lake, causing water levels to rise, which results in flooding. The post-fire debris/mudflow can also destroy hillside houses. Incorrect site selections can lead to disasters. Unfortunately, current insurance policies often require damaged structures to be rebuilt at the same site, which results in recurring damages due to consistent hazards. Learning from geomorphic studies and vernacular wisdom of *feng-shui*, Chinese geomancy, this interdisciplinary research on identifying landform patterns of high impact areas would help improve the site selection process, and accomplish appropriate warning systems and mitigation strategies. Ultimately, restraining people from settling in high impact areas is the most efficient strategy for mountain communities to survive and thrive.

Keywords: Natural hazard, Post-fire debris/mudflow, Landform patterns, *feng-shui*, Interdisciplinary education, Site selection

## Introduction

Extreme climate patterns in recent decades have led to frequent wildfires, massive rainstorms and subsequent debris/mudflows in the Colorado Front Range, USA. Climate change increases the global temperature, resulting in drier Colorado weather. Wildfires are a major threat to Rocky Mountain communities. Since 1970, the number of large fires per year has doubled and could increase another six-fold in the next two decades (Climate Central, 2013). In as soon as 50 years, the burn area could increase two to five times, engulfing almost all of the Rocky Mountain region (Baker, 2009).

Located immediately east of the Rocky Mountains, the Front Range is the economic and cultural center of Colorado. It spans to include the cities of Denver, Boulder, Fort Collins, Colorado Springs, and Pueblo (Figure 1). This region accounts for 82% of the state's population and creates 86% of its economic output (Summit Economics, 2009). As of July 1, 2015, the Front Range Urban Corridor supported 4,757,713 people, an increase of 9.78% since the 2010 United States Census. As the population of the Front Range grows, more people are moving into the wildland-urban interface zones, some of which are fire and debris/mudflow prone zones. As a result, human-caused fires have increased, and post-fire debris/mudflows frequently occur. The post-fire debris flow sequence has become a common phenomenon in mountain areas (Wells, 1987).

The debris flow, often referred to by the media as a “mudslide,” can be a deadly disaster. Scientific institutions and governments currently research large-scale debris flows and develop mitigation plans. However, debris/mudflows occurring on local hillsides in wildland-urban interfaces are less researched. Local debris/mudflow events often occur suddenly. Recently, post-fire debris/mudflows in the West of the USA appear lacking an efficient warning system. Therefore, mountain residents are not prepared to deal with the impact and caught off guard. This research uses *feng-shui* as an indicator to identify the landscape patterns of the post-fire debris/mudflow prone zones in the Colorado Front Range, which could be used to develop warning criteria for residential evacuation.



**Figure 1.** Location of Colorado Front Range. (Sources: Ann Dang; CSU, 2013; EB Inc., 2011; Simple Maps; UT Library)

The current extreme weather patterns that impact density development in the wildland-urban interface are new for most of us, therefore we lack the necessary experience and preparation. In order to adapt to climate challenges, we must first identify what the problem and impacts are, how the hazards progress, where the problem initiates, and where the high impact areas are. Vernacular methods may help identify these factors.

The Chinese have inhabited mountainous regions for thousands of years. Thirty percent of the Chinese population lives in mountainous areas, and two-fifths of the cultivated land is located in mountain regions of the country (Li, 2004). China's experience for thousands of years in adapting and surviving despite natural challenges are primarily summarized in *feng-shui* practice. *Feng-shui* is an ancient Chinese practice that harmonizes people with their environment. *Feng-shui*, directly translated to wind and water, is practiced at many scales, from mountain ranges and cities down to homes and furniture. *Feng-shui* has many schools; particularly prominent is the form school, which discusses landforms such as mountain/dragon, hill, water, and site. *Feng-shui* is used to select proper timing, a suitable location, and supportive people to sustain lives and communities by pursuing positive energy for good luck and disaster avoidance. Humans struggle to follow the laws of nature, which makes it difficult to survive in the natural environment. In Ian McHarg's book, "Design with Nature," he states that adaptations to natural laws to enhance life by promoting harmony between humans and nature (McHarg, 1969). Using the wisdom of *feng-shui* and geomorphic study we can further understand mountain disasters and identify the high impact zones in order to prevent tragedy within the mountain community.

### **Rocky Mountain Landforms Trigger Fire**

The jagged peaks of the Rocky Mountains reach above 14,000 feet against the fair blue sky. The snow melts off the mountains into glacial lakes in which cold water fish abound. Small streams flow through canyons and verdant valleys. Forests with high tree lines above 10,000 feet brighten up in autumn. This beauty contributes to the popularity of the region but coincides with frequent natural hazards. In recent decades, these weather patterns are becoming more extreme. The 2013 historical flood killed ten people and caused nearly \$4 billion in damage across 24 counties. There were 18,147 evacuees, 1,852 homes destroyed, and 28,363 homes damaged. Many of the mountainous areas experienced fire strikes before the flood, worsening flash flooding and debris/mudflows. Lightning strikes result in wildfires, which weaken the soil. If heavy rainfall follows these wildfires, flash flooding can occur, weakening the soil further and creating optimal conditions for debris/mudflows. Many members of the community, especially mountain residents, face frustration as they continue to deal with the flood's aftermath years later (Aguilar, 2016).

### ***Fire Ecology and Post-fire Landscape***

Wildfires are one of the most significant hazards in the Rockies. Fires are a major concern for residents until a few inches of snow cover the ground. Climate change and growing residential and visiting populations in fire-prone areas increase the overall likelihood of fires (Baker, 2009). According to the Intergovernmental Panel on Climate Change, warmer temperatures have also contributed to a longer and more destructive fire season. In the past 17 years, the fire season has extended by 78 days;

the number of fires has increased fourfold; the amount of time needed to extinguish the average fire takes five times longer; and the total burn area has expanded 5.7 times (Saunders et al., 2008).

The high peaks of the Rocky Mountain Range attract lightning strikes. Lightning, an electric discharge, causes fires by striking an earth-bound object. The smoke and mist expelled by a massive forest fire can cause even more electric charges, igniting new fires many miles downwind (Dul'zon, 1996). Between 2011 and 2016, three of the four largest by acreage fires were caused by lightning strikes. Although lightning can occur at any elevation, areas with steep slopes and high altitudes, often above 8,000 feet, attract the highest number lightning strikes. According to *feng-shui*, jagged mountain peaks with sharp slopes are called the fire mountains, because they experience frequent lightning strikes that spark the most fires (Jiang, 1997).

The Rocky Mountain range also triggers wind storms that spread fires over thousands of acres. Steep and rigid landforms of the Rocky Mountains at high elevations, particularly mountain crests, create these powerful wind gusts. The highest wind speeds tend to correlate with wildfires. Downslope wind storms are common in late autumn into spring along the Front Range. Downslope winds characterized by unseasonably warm temperatures are called Chinook winds, while Bora winds involve an influx of cold air and are accompanied by falling temperatures (Doesken & Roger, 2003). Canyons can form wind tunnels, increasing fire risk and spreading fire more rapidly. Colorado is the third most at-risk state for wildfires, due to the factors above (Insurance Information Institute [III], 2016). A primary criterion for site selection according to *Feng-shui* is to avoid high winds. It recommends that people do not build on the crest of hills because positive energy cannot accumulate, and strong winds will blow your good luck away.

In recent decades, the increasingly frequent fires in Colorado have led many residents to doubt the following academic theory: fire is an ecological system that plays a key role in shaping the natural landscape, and that this system should not be limited (Wuerthner, 2006). Colorado residents may align themselves more with Baker's conflicting theory: fires should be investigated on a large regional scale, with hundreds of years of temporal understanding, including the increasing human impacts on and from the system. He argues that policies should be shaped to protect the landscape and the people. In the past, fires have been seen as manageable ecological processes in a resilient ecosystem. In the Rocky Mountains, however, this idea is no longer tenable (Baker, 2009).

According to Baker, weather warming and expanding populations in mountain areas disrupt the natural cycle and substantially increase fire frequency and size. The Colorado Rockies have never experienced fire exclusion, as the Rocky Mountain landscape triggers fire events naturally. Colorado forests, in particular, take a long time to recover from fires. In the Rockies, there are few plants with seed banks to aid tree regeneration. The dry weather also impacts the recovery time; many forests are still recovering from the large fires of the 19th century (Baker, 2009).

Burned trees release large amounts of carbon dioxide and can no longer filter pollutants or produce oxygen. Inhalation of smoke and ash from large wildfires creates serious health threats for the elderly, ill, and those with heart or respiratory

conditions (Climate Central, 2013). Fires damage wildlife habitat, water quality, and mature forests and create carbon dioxide pollution. Also, the extended periods of recovery on burned slope sides leave them vulnerable to debris/mudflow disasters. Considering the potential impacts to ecological balance and human health, fires in the Front Range should be immediately extinguished.

### ***Rocky Mountain Landforms Trigger Post-fire Debris/mudflows***

#### ***Rainstorms***

Intense and heavy rainfall is the pre-condition for debris/mudflows. Heavy summer storms often occur along the Colorado Front Range. Gulf/Subtropical Atlantic moisture merges with western winds crossing the state to generate extreme weather patterns before reaching the high mountains (Dust, 2016). Orographic lift, when the air is forced from a low elevation to a high elevation over steep terrain, also creates high precipitation storms in the mountains and canyons of the Front Range (Whiteman, 2000). Severe thunderstorms can spawn supercells, which can generate tornadoes or hail. The frequency of hail damage to crops in northeastern Colorado is quite high. With an average number of six or more hail days per year, some counties in eastern Colorado are among the most hail-prone areas in the country (Saunders et al., 2008). Another hazard related to heavy rainfall is flash flooding, including debris/mudflows. The greatest threat of flooding in Colorado is not from snow melt; rather, it is flash flooding from localized intense thunderstorms (Crespin, 2016). The intense rainfall triggered by the mountain landforms are instrumental to debris/mudflow disasters, therefore weather forecasting is a significant factor in predicting post-fire debris/mudflows.

#### ***Debris/Mudflows***

Residents often think living in the mountains is a way to avoid floods, but there is another water hazard -- debris/mudflows, one of the most dangerous natural hazards in mountain communities (Reneau & Dietrich, 1987). In *feng-shui* terms, it is called the “water showering head” (Jiang, 1997) and is identified as one of the evilest and deadliest factors. Based on the geomorphic study (Onda, 2004; Clark, 1987; and Reneau & Dietrich, 1987) and the author's field investigations of 2013 Colorado debris/mudflow zones, the discussion of landform patterns emphasizes three areas. The first area is the debris catchment, including the basin, surrounding mountains, and canyons where debris and runoff accumulate and debris flows are initiated. *Feng-shui* refers to this area as the “dragon.” In particular, *feng-shui* recommends avoiding the mountain basins with debris, called the “sick dragon,” and canyons with steep slopes and a narrow channel, called the “violent dragon” (Figure 2). The Big Thompson Canyon, CO would be identified by *feng-shui* as a violent dragon. Several houses along this canyon were destroyed during the 2013 flood (Figure 3).



**Figure 2:** This diagram from an ancient *feng-shui* text book by Xu, Shike, represents the Violent Dragon. The black areas with zigzag patterns represent the mountain profiles, the fine lines represent the foothills, and the small circle represents the house site. (Source: Xu, Shike 1580. *Di Li Tian Ji Hui Yuan*, Chapter 5)



**Figure 3:** A dream of mountain living turns out to be a nightmare. This house in the Big Thompson Canyon was destroyed during the 2013 historical flood in Colorado. (Source: Ping Xu, 2014)

The second area is a debris flow track, which is often a water channel and the surrounding hillsides, where debris events develop, generate power, and accelerate downhill. Houses on hillsides should not be built on more than a 45% slope. According to *feng-shui*, a straight stream or river is evil, and a meandering stream or river is favorable. The area outside the meandering curve should be avoided. A dry wash with a narrow and straight channel that points directly at the site, known as a “hidden arrow,” should be avoided as well. Hills with constant steep slopes, called “hills without veins,” are subject to frequent flooding (Liu, 1986). The final area is the debris flow fan, a receiving or impact area, where the slope has dropped, and debris is released. *Feng-shui* recommends that the site selection process should encompass field investigations of surrounding landforms including mountains, canyons, hills, water, and the site conditions.

### **Postfire Debris/Mudflow Sequence**

Following wildfires, there is often another hazard: The post-fire debris flow sequence. According to the author's field investigations of the 2013 flood impact zones in the canyons of the Colorado Front Range, every high-impact zone experienced a fire before the debris/mudflow, most within the three years prior. Fire changes the structure of soil, coating it in burned organic molecules and making it virtually waterproof. Two primary erosion processes cause debris flows in burned watersheds (Wells, 1987). The first process is dry ravel. The downhill movement of debris without the flow of water dams dry washes and worsens future flows. The second is the formation of rill networks--small debris flows that branch extensively with little rain. These erosions accelerate and intensify debris/mudflow disasters (Wells, 1987). After a wildfire, it is crucial to anticipate debris/mudflows. When fire burns vegetation from the mountainsides, it kills the ground cover and loosens debris. During heavy rains, the dead trees fall more readily, levering up the soil and producing more debris. The dead timber washes into a debris flow, further generating power. Geomorphic research indicates that in a debris/mudflow, a significant amount of heavy timber causes landslides and the destruction of property (Reneau & Dietrich, 1987).



**Figure 4:** Landform patterns of high impact areas of the 2013 flood. (Source: Xu, 2016a)

The author's field investigations indicate that the high-risk areas of the 2013 floods present similar landform patterns. These landform conditions led to the heaviest impacts in Jamestown and Drake during the 2013 Colorado mountain floods (Figure 4). The landform factors that create these patterns can be described as following: 1) The site, with a slope of roughly 10%, is located at a confluence area of the lower portion of a canyon, which forms a receiving zone for a debris/mudflow. 2) A small creek, originating several miles away, flows to the site through a "violent" or "ominous" canyon, which creates a zigzag shape. 3) The hillsides have a 25%-35% slope. 4) The narrow channel of the creek, which combines water, mud, sand, rocks, and dead trees, into a powerful debris/mudflow. 5) A river that points at the site and turns, called "water shooting heart" by *feng-shui*, which can have the power to destroy homes. 6) A steep hill north of the site, that experienced fires within a few years of the flood, leaving unstable soil and dead trees in its wake. These deposits developed into a local debris/mudflow that hit the site and fed into the river during intense and heavy rain.

The Big Elk Meadow, Lyons, was a high impact area of the 2013 post-fire debris/mudflows. Three lakes filled with mud, and many houses built on the lower hillsides or close to the lake faced flooding and debris/mudflow disasters. Additionally, a house that was affected by a fire ten years ago was destroyed completely by a debris/mudflow. In the summer of 2017, the author revisited the site. Surprisingly, a new house has already been constructed within 10 feet of the old damaged spot. This is because many existing insurance policies require damaged structures to be rebuilt at the same site, resulting in recurring damages due to landform patterns and the consistent hazards they present. Incorrect site selection can lead to disasters, and ignoring the disasters that occur does nothing to address the issue. In the next debris/mudflow disaster, it is highly likely the new house may face the same destruction as the last.

### **Wildland-Urban Interface Impacts**

Tourism, outdoor recreation and an increasing residential population in remote areas have made housing prices skyrocket as the area sees increasing human demand. People and their infrastructure have been intruding further into the wildland-urban interface, severely impacting the sensitive Rocky Mountain landscape. Eventually, the continuous development of the wilderness will destroy the appealing qualities people initially pursued. Furthermore, dreams of mountain living can turn into nightmares without thorough preparation and adaptation to natural hazards.

Fire, wind, rainstorms, and debris/mudflows are natural processes. Once humans move into areas prone to these natural hazards, disasters can destroy human life and property. Colorado wildfires have impacted hundreds of thousands of acres of land, thousands of homes, and taken several lives. In this system, humans fall victim to disasters but are also a direct contributor to the dangers. Between 2011 and 2016, of the 108 wildfires surveyed, 60% were caused by humans. As the population of the Front Range increases, particularly in the wildland-urban interface zones, so will the development of homes and infrastructure, including roads and power lines. Large trees with shallow roots can be toppled by severe winds, damaging power lines and potentially lighting a fire that will spread rapidly by the winds. There is also an increase in mountain tourism with the growing population. Campfires can quickly spread out of control, which is often the cause of Colorado fires. 64% of human-caused fires during 2011-2016 within the Front Range area were over 500 acres. Due to the high rate of human-caused fires, fire prediction analyses should include the risk factor of human-caused ignition.

Once the vegetation is stripped through fire or erosion, there is opportunity for alien seeds to grow. These invasive species compete for ground cover against native plants, monopolizing topsoil and sunlight, which can easily change the mountain landscape and the ecosystem. Since these plants are aggressive and often overgrown, they are very easy to ignite, which can lead to large wildfires. Many mountain residents choose to inhabit the hazard zones to be near wildlife and to see wildlife, but in reality they are competing against these animals for territory. Bears commonly break into cars and houses for food and mountain lions threaten human lives. Human development and infrastructure in the wild eventually drive endangered species to extinction.

Mountain residents desire privacy and their individual freedom. To have their own territory, some are willing to pay a high price and build a long driveway. Construction projects in the mountains alter the original terrain and drainage systems and often cause erosion. During heavy rainstorms, debris/mudflows can occur. Evacuating people and their pets from remote areas during fires and debris/mudflows is often very expensive, sometimes requiring helicopter assistance, and can also risk the lives of firefighters. The development of the wildland-urban interface negatively impacts the Rocky Mountain ecosystem and leads to more losses during natural disasters.

## Conclusions

Faced with natural disasters, humans respond with three main attitudes. The first attitude is over-optimistic; the belief that humans can have power over nature. When nature causes trouble, these people want to “beat mother nature back.” However, increasingly frequent natural disasters around the world have forced people to accept that nature is more powerful than humans. The second attitude is over-pessimistic; the feeling that natural disasters are out of people’s control, creating resistance to acknowledging the issue. The people with this mentality simply hope that natural disasters will not happen during their lifetime. The third attitude is that we must adapt to climate challenges to sustain our society. As Darwin posited, *“It is not the strongest of the species that survives, nor the most intelligent, but rather the one most adaptable to change”* (Darwin, 1909).

Natural systems move in periodic cycles, with good years and bad years. We have to learn to survive with natural hazards. Climate, along with racial inheritance and cultural development, ranks as one of the most crucial factors in determining the conditions of civilization (Olgay, 1963). Natural hazards are dangerous for humans, but they are part of the ecological process. Once people settle in hazard-prone zones, they are in danger. In many cases, the disastrous tragedies stem from design errors, particularly poor site selections. Throughout history, architecture and environmental design have developed with survival strategies impacted by the forces of climatic disasters. The current fire and post-fire debris/mudflows would teach us how to survive with these hazard challenges.

According to the author's field investigations of the 2013 flood impact zones in the Colorado Front Range canyons, every high-impact zone experienced a fire before the debris/mudflow. According to the geomorphic research by Wells, fire changes the structure of soil, coating it in burned organic molecules and making it virtually waterproof. The primary post-fire erosion processes include the dry ravel -- the downhill movement of debris, which dams dry washes and worsens future flows; and the rill networks--small debris flows that branch extensively with little rain. These erosions accelerate and intensify debris/mudflow disasters during intense and heavy rainfall (Wells, 1987). After a fire, it is crucial to anticipate debris/mudflows.

Identifying landscape patterns of high impact areas of post-fire zones would help us to establish the criteria of a warning system to evacuate people from the most dangerous zones of post-fire debris/mudflows. The impact zones can be identified through three pre-conditions: 1. The landforms trigger debris/mudflows. A debris/mudflow often initiates from steep uphill landforms and basin areas in higher elevations abound with debris. The debris/flow then accelerates and generates power through a narrow

channel/canyon, continuing to erode the surrounding land and accumulate debris. When the slope suddenly declines, the debris is released with the greatest impact. The high impact area is in the lower elevation, also including some hillsides; 2. The area experiences a wildfire strike, particularly at a higher elevation, which accelerates and amplifies the debris/mudflow process; and 3. The impact zone, including the higher elevation area, receives heavy and constant rainfall.

The information from the three pre-conditions contributes to the predictability of the post-fire debris/mudflow warning method. First, after a wildfire, all areas are well mapped by government institutions. Second, by following the criteria of landscape patterns, the potentially dangerous zones of debris/mudflows can be identified. These areas can be mapped manually or by digital GIS mapping. Third, the reliable weathercast system provides warning for heavy and constant rainfall. Therefore, after a wildfire, the local government should warn people to be prepared for a post-fire debris/mudflow strike. When weather forecasting reports heavy and constant rainfall, people living in the hazard-prone zones should be asked to evacuate immediately before the storm, as the post-fire debris/mudflow can be too fast to escape. It is common for flooding to occur after a wildfire, as debris flows into creeks and rivers, raising the water level. The debris/mudflow on the hillside also can also be a deadly disaster: Leveling houses, toppling trees, and in worst case scenarios even taking lives.

Humans have inhabited mountains throughout history. Over generations, they learned how to survive in challenging environments. A wise site selection would help people to avoid danger. Combining scientific study and *feng-shui* practice, the following criteria would help people to select a site for their mountain home, and provide specific factors to identify the potential hazard zones of post-fire debris/mudflows.

**Mountain range and canyon (Dragon).** First, people should look and evaluate the mountain range and canyon. *Feng-shui* refers to this area as the “dragon.” In particular, *feng-shui* recommends avoiding the mountain basin with debris, the “sick dragon,” and the canyon with steep slopes and a narrow channel, the “violent dragon.”

**Hills.** Housing in hilly regions should be constructed with caution. Areas above 8,000 feet in elevation, particularly on mountain crests and hill peaks, are susceptible to lightning, high winds, and wildfires. Furthermore, steep slopes over 25% grade, mountain basins, and downhill areas should be avoided because they can trigger debris/mudflows. People should evacuate from houses built on the lower end of a straight gulley, or with a dry wash behind or directed towards the site, referred to in *feng-shui* as “the hidden arrow” (Xu, 2016b).

**Water: river, creek, and dry wash.** *Feng-shui* advises people to avoid construction on sites near water because of its vulnerability to debris/mudflows and floods. Houses should not be constructed near the confluence of two rivers. Sites outside the curve of a river with a channel pointing directly at the house, called “water shoot the heart” in *feng-shui*, are particularly dangerous and residents should prepare for evacuation in the case of a debris flow.

**Site.** *Feng-shui* also advises people to have a comprehensive analysis of the surrounding landforms. Flat areas that have a 10% slope on the downhill side of a

creek or dry wash can be a receiving or impact area of debris/mudflows. Low points in the landscape are susceptible to flooding. Dense forests have a high risk of wildfires. Additionally, the highest impact areas often have the combination of landform patterns: a zigzag canyon with a hillside over 25% grade, a river that flows toward the site, the confluence of two rivers, and a local steep hill that was recently affected by a fire. People located in such areas should immediately evacuate after preconditions are observed.

Natural hazards are dangerous for humans, but they are part of the ecological process and only become disasters when they affect human life and property. With increasingly extreme weather conditions and growing populations, Colorado wildfires and post-fire debris/mudflows will continue to occur frequently. Nature is hard to control, but human behavior can be modified. Human development and populations are impacted by, but also contribute to, the causes of these disasters. The wildland-urban interface expansion negatively impacts the Rocky Mountain ecosystem and results in more damages from these hazards. Pushing populations and infrastructure away from hazard zones and ecologically vulnerable areas would be an effective strategy for adapting to climate challenges and sustaining the Rocky Mountain ecosystem for future generations.

### **Acknowledgements**

The IMPART Award of the University of Colorado at Boulder supports this research. This grant encourages cultural diversity and undergraduate student involvement in research. Particularly, the author would like to thank Jenice Forrister for helping to edit this paper.

## References

2010 United States Census. (2017). OLPC Wiki.  
[https://en.wikipedia.org/wiki/2010\\_United\\_States\\_Census](https://en.wikipedia.org/wiki/2010_United_States_Census)

Aguilar, J. Two years later, 2013 Colorado floods remain a “nightmare” for some.  
<http://www.denverpost.com/2015/09/12/two-years-later-2013-colorado-floods-remain-a-nightmare-for-some/>

Baker, W. L. (2009). *Fire ecology in rocky mountain landscapes*. Washington, Covelo, London: Island Press.

Clark, G. M. (1987). *Debris slide and debris flow historical events in the Appalachians south of the glacial border*. Debris Flow/Avalanches: Process, Recognition, and Mitigation, ed J. E. Costa and G. F. Wieczorek. The Geological Society of America: Boulder, CO, pp. 125-138

Climate Central (2013, October 25). Report: Wildfires & air pollution, a hidden hazard. *Climate Central*. <http://www.climatecentral.org/news/report-wildfires-and-air-pollution-a-hidden-hazard-16651>

Crespin (2016, March 28). *Hazard: Wind Hazards*.  
<https://planningforhazards.com/file/678/download?token=MXCUxkhc>

Doesken, N. J. & Roger, A. P. (2003). *Colorado Climate*.  
<https://ccc.atmos.colostate.edu/pdfs/wy2003.pdf>

Dul'zon, A.A. (1996). *Lightning as a source of forest fires, combustion, explosion, & shock waves*. Springer, New York. 32 (5), 134–142.

Dust, D. (2016). *Hydroclimatology of the Colorado Front Range*.  
[http://warnercnr.colostate.edu/~ellenw/front\\_range/hydro.php](http://warnercnr.colostate.edu/~ellenw/front_range/hydro.php)

EB Inc. (2011). *Principal Features of the Rocky Mountains*. <https://s-media-cache-ak0.pinimg.com/originals/c7/f6/f4/c7f6f4cde032e4e1d4d1e6516d8de9dc.gif>

Insurance Information Institute (2016). *Wildfires*. <http://www.iii.org/fact-statistic/wildfires>.

Jiang, W. (1997). *Model landform subjects*. Taipei, Taiwan: Yi Qun bookstore (In Chinese).

Li, T. (2004) “Mountain hazards in China.” *Mountain Geomorphology*, ed. P. Owens and Olav Slaymaker, 219-241. London: Arnold.

Liu, J. (1986). *The collection of the ancient texts* (reprinting 50 historical famous masterworks from 200 BC to 1600 AD). Taipei, Taiwan: Fu Li Publisher. (In Chinese).

McHarg, I. L. (1969). *Design with nature*. Garden City: Doubleday.

Olgay, Victor. (1963). *Design with Climate: Bioclimatic Approach to Architectural Regionalism*. Princeton University Press, Princeton, New Jersey.

Onda, Y. (2004). *Hillslope Hydrology and Mass Movements in the Japanese Alps*. Mountain Morphology, ed. P. N. Owens and O. Slaymaker, Arnold: London, pp. 153-164.

Reneau, S. L. & Dietrich W. E. (1987). *The importance of hollows in debris flow studies; examples from Marin County, California*. *Debris flow/avalanches: Process, recognition & ed.* J. E. Costa and G. F. Wieczorek. Boulder, Colorado: The Geological Society of America. 165-179.

Saunders et al. (2008, March). *Hotter & drier: The west's changed climate*. <https://www.nrdc.org/sites/default/files/west.pdf> (Storm Events Database, n.d.)

Simple Maps (n.d). *Free United States SVG Map*. <http://simplemaps.com/resources/svg-us>

Summit Economics (2009, December). *Water and the Colorado economy*. [www.circleofblue.org/wp-content/uploads/2013/11/Water-and-the-Colorado-Economy.pdf](http://www.circleofblue.org/wp-content/uploads/2013/11/Water-and-the-Colorado-Economy.pdf)

U.S. Department of Commerce National Oceanic and Atmospheric Association (NOAA). *Boulder Wind*. (2017). <https://www.esrl.noaa.gov/psd/boulder/wind.html>

Wells, W. G. (1987). *The effect of fire on the generation of debris flows in southern California*. *Debris flow/avalanches: Process, recognition & mitigation*, ed. J. E. Costa and G. F. Wieczorek. Boulder, Colorado: The Geological Society of America. 105-114.

Whiteman, C. D. (2000). *Mountain Meteorology: Fundamentals & Applications*. Oxford University Press.

Wuerthner, G. (2006). *Wildfire: A century of failed forest policy*. Sausalito, CA.: The Foundation for Deep Ecology.

Xu, P. (2016a). *Feng-shui* — Ancient geodesign: Identifying predictive landform models of mountain flood impact zones. *Journal of Digital Landscape Architecture [JoDLA]*, 1-2016.

Xu, P. (2016b). *Feng-shui*'s “hidden arrow”: A straight dry wash can trigger a debris/mudflow disaster. *Academic Journal of Art & Science*. 1-12.

Xu, Shike (1580). *Di li tian ji hui yuan*. Shanghai: The Shanghai Mountain House (In Chinese).